

Virtalähde 12VDC 2A, 24W, Liitin 2.1/5.5 mm (14223)

Virtalähde 12VDC 2A – Sopii esimerkiksi kynsiuuneille ja muille laitteille. Laadukas ja turvallinen EU- ja TÜV-hyväksytty virtalähde kynsiuuneille ja muille 12 voltin laitteille. Tämä sisäkäyttöön tarkoitettu virtalähde takaa vakaan jännitteen ja turvallisen käytön. Sertifioitu CE- ja RoHS-standardien mukaisesti. Virtalähteessä on 2.1/5.5 mm liitäntä (plus keskellä), ja se sopii moniin kynsiuuneihin sekä muihin pieniin sähkölaitteisiin. Tarkista yhteensopivuus oman laitteesi kanssa asiakaspalvelustamme ennen käyttöä. Jännite: 12VDC Virta: 2A Liitäntä: 2.1/5.5 mm (plus keskellä) Käyttöjännite: 100–240VAC Käyttölämpötila: 0–40°C IP-luokitus: IP20 (vain sisäkäyttöön) Hyväksynyt: TÜV, CE, GS, RoHS, EN 61558-1, EN 61558-2-16, Low Voltage Directive 2014/35/EU Valmistaja: Haihong Electronics Co., Ltd Luotettava ja turvallinen virtalähde kynsiuuneille ja muille sähkölaitteille.



VAROITUKSET

Älä käytä tätä laitetta kylpyammeen, suihkun, altaan tai muun vettä sisältävän astian lähellä. Kun laitetta käytetään kylpyhuoneessa, irrota se pistorasiasta käytön jälkeen, koska veden läheisyys aiheuttaa vaaraa myös laitteen ollessa sammutettuna.

Lapset joiden ikä on 8 vuotta tai yli ja henkilöt, joilla on rajoitettu fyysinen, aistinvarainen, henkinen ominaisuus tai kokemuksen ja tiedon puute saavat käyttää tätä laitetta ainoastaan, jos heitä valvotaan tai heitä on opastettu laitteen turvalliseen käyttöön ja he ymmärtävät laitteen käytössä esiintyvät vaarat. Lapset eivät saa leikkiä laitteella. Lapset eivät saa suorittaa puhdistamista ja käyttäjän huoltotoimenpiteitä ilman valvontaa.

TAKUU

Tuotteella on yhden (1) vuoden takuu. Takuu kattaa laitteen takuuaikana esiin tulevat valmistusvirheet. Takuu ei kata normaalia laitteen kulumista ja siitä johtuvia vikoja. Tuotteita täytyy käyttää ohjeiden mukaisesti ja laitteen ylikuormittaminen ei ole takuun alainen vika. Laitteet pitää puhdistaa säännöllisesti, koska lika lyhentää tuotteen käyttöikää. Jos laitetta käytetään ammattikäytössä, takuu aika on puolet normaalista takuuajasta. Takuu ei sisällä tuotteen toimituskuluja takuuhuoltoon vaan asiakkaan täytyy maksaa toimituskulut itse tai tuoda laite myymäläämme huoltoon. Takuuhuollon jälkeen tuote toimitetaan asiakkaalle takaisin edullisimmalla tavalla.

HÄVITTÄMINEN

Tuotetta ei saa hävittää kotitalousjätteen mukana. Toimita tuote sähkö- ja elektroniikkaromun keräyspisteeseen paikallisten ohjeiden mukaisesti.

HUOLTO JA ASIAKASPALVELU

Vikatilanteissa, takuuasioissa ja huoltotarpeissa ota yhteyttä maahantuojaan. Älä käytä vaurioitunutta tuotetta.

MAAHANTUOJA:

CH Nails Oy
Ollilantie 1, 90440 Kempele
asiakaspalvelu@kynsitukku.com





Test Report No. UTLR24081353-2 Date: Aug.30, 2024 Page: 1 of 14
Applicant: HAIHONG ELECTRONICS CO., LTD
Address: Room 402, Building 3, No. 5 Xinxing Road, Jiaoshe Village, Dongkeng Town, Dongguan City, 52300 Guangdong P.R. China

The following samples were submitted and identified on behalf of the clients as

Model Name: AC ADAPTER
Sample No.: Please refer to next page
Sample Received Date: Aug.27, 2024
Test Period: Aug.27, 2024 to Aug.30, 2024
Test Method: Please refer to next page(s) P
Test Result: PASS.

CONCLUSION :

According to client's request to conduct below tests in the selected parts of the submitted sample:

TEST ITEM
1.RoHS Directive 2011/65/EU Annex II amending Annex(EU)2015/863 and amending Annex (EU)2017/2102
-Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs Content
-D(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate(DBP), Disobutyl phthalate(DIBP) Content
RESULT
PASS
PASS



Authorized Signatory
Title: Director of Testing
For and on behalf of
Dongguan Universal Testing Technology Co., Ltd.

Except for full test reproduction, part of the report should not be copied without the written approval of this laboratory. Our report includes all of the tests requested by client and the results based on the information that you provided to us. The results in this report are not indicative of the quality or performance of the product. The results are for information only.
Dongguan Universal Testing Technology Co., Ltd. Room 402, Building 3, No. 5 Xinxing Road, Jiaoshe Village, Dongkeng Town, Dongguan City, Guangdong province, China
Website: <http://www.utl-lab.cn> Tel: +86-400-6652-789 E-mail: utl@utl-lab.cn Hotline: +86-13829128056



CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.: 25SP06193L01
Report No.: SP2506193L01
Date Issue: 2025-07-29
Applicant's name: HAIHONG ELECTRONICS CO., LTD
Address: Room 101, No. 93, Shuibei Gao 4th Lane, Shipai Town, Dongguan, Guangdong
Manufacturer's name: HAIHONG ELECTRONICS CO., LTD
Address: Room 101, No. 93, Shuibei Gao 4th Lane, Shipai Town, Dongguan, Guangdong
Product Description: SWITCHING ADAPTER
Model(s)/Type Reference: See model list
Parameters: Input: 100-240V~ 50/60Hz 1.5A Max.
Output: 5.0-56.0Vdc, 0.01-5.0A, 65.0W Max
Standard(s): EN IEC 61585-1:2019
EN IEC 61585-2:16:2021

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it/them).
Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and product conformity assessment, the manufacturer is authorized to affix the CE mark to the product by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).



Approved By

Eric Liu
Director of Conformity Assessment

Dongguan Pulse Testing Technology Co., Ltd.
Room 402, Building 3, No. 5 Xinxing Road, Jiaoshe Village, Dongkeng Town, Dongguan, Guangdong, China.
Tel: +86 769 81151516 E-mail: service@pubtest.com Web: www.pubtest.com

User manual - English



Power supply 12VDC 2A, 24W, Connector 2.1/5.5 mm (14223)

Power supply 12VDC 2A – Suitable for example for nail lamps and other devices High-quality and safe EU and TÜV approved power supply for nail lamps and other 12-volt devices. This indoor power supply ensures stable voltage and safe use. Certified according to CE and RoHS standards. The power supply has a 2.1/5.5 mm connector (positive in the center), and it is compatible with many nail lamps and other small electrical devices. Check compatibility with your device with our customer service before use. Voltage: 12VDC Current: 2A Connector: 2.1/5.5 mm (positive in the center) Input voltage: 100–240VAC Operating temperature: 0–40°C IP rating: IP20 (indoor use only) Certifications: TÜV, CE, GS, RoHS, EN 61558-1, EN 61558-2-16, Low Voltage Directive 2014/35/EU Manufacturer: Haihong Electronics Co., Ltd Reliable and safe power supply for nail lamps and other electrical devices.



WARNINGS

Do not use this appliance near a bathtub, shower, basin or any other vessel containing water. When the appliance is used in a bathroom, unplug it after use because proximity to water presents a hazard even when the appliance is switched off.

Children aged 8 years or over and persons with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, may use this appliance only if they are supervised or have been instructed in the safe use of the appliance and understand the hazards involved. Children must not play with the appliance. Children must not carry out cleaning or user maintenance without supervision.

WARRANTY

The product has a one (1) year warranty. The warranty covers manufacturing defects that appear during the warranty period. The warranty does not cover normal wear and tear or faults caused by such wear. The product must be used according to the instructions, and overloading the device is not covered by the warranty. The device must be cleaned regularly because dirt shortens the product lifetime. If the product is used professionally, the warranty period is half of the normal warranty period. The warranty does not include shipping costs to warranty service; the customer must pay the shipping costs or bring the product to our store for service. After warranty service, the product will be returned to the customer using the most economical method.

DISPOSAL

Do not dispose of the product with household waste. Take it to an appropriate collection point for electrical and electronic waste according to local instructions.

SERVICE AND CUSTOMER SUPPORT

For faults, warranty questions or service needs, contact the importer. Do not use a damaged product.

IMPORTER:

CH Nails Oy
Ollilantie 1, 90440 Kempele
asiakaspalvelu@kynsitukku.com





1. Tuotteen tunnistenumero

Virtalähde 12VDC 2A, 24W, Liitin 2.1/5.5 mm / 14223

2. Valmistajan tai valtuutetun edustajan nimi ja osoite

CH Nails Oy
Ollilantie 1, 90440 Kempele
p. +358-50-4153459
asiakaspalvelu@kynsitukku.com

3. Vastuu

Tämä vaatimustenmukaisuusvakuutus on annettu valmistajan yksinomaisella vastuulla.

4. Vakuutuksen kohde

Virtalähde 12VDC 2A, 24W, Liitin 2.1/5.5 mm / 14223

5. Sovellettava unionin yhdenmukaistamislainsäädäntö

Edellä kuvattu vakuutuksen kohde on asiaa koskevan unionin yhdenmukaistamislainsäädännön vaatimusten mukainen.

Direktiivit ja asetukset

TÜV, GS, RoHS, LVD

6. Käytetyt yhdenmukaistetut standardit tai tekniset eritelmät

Vaatimustenmukaisuusvakuutus perustuu alla lueteltuihin yhdenmukaistettuihin standardeihin tai muihin teknisiin eritelmiin.

EN IEC 61558-1:2019, EN IEC 61558-2-16:2021

7. Lisätietoja ja allekirjoitus

Puolesta allekirjoittanut: CH Nails Oy

Paikka ja aika: Kempele, 26.08.2025

Valtuutettu edustaja: CH Nails Oy

Allekirjoittajan nimi ja tititelli: Ari Hahto, Tekninen vastuuhenkilö

CH Nails Oy

CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

This Certificate of Conformity is hereby issued to the product designated below:

Certificate No.:	25SP06193L01
Report No.:	SP2506193L01
Date Issue:	2025-07-29
Applicant's name:	HAHONG ELECTRONICS CO., LTD
Address:	Room 101, No. 93, Shuibei Gao 4th Lane, Shipai Town, Dongguan, Guangdong
Manufacturer's name:	HAHONG ELECTRONICS CO., LTD
Address:	Room 101, No. 93, Shuibei Gao 4th Lane, Shipai Town, Dongguan, Guangdong
Product Description:	SWITCHING ADAPTER
Model(s)/Type:	See model list
Parameters:	Input: 100-240V~ 50/60Hz 1.5A Max. Output: 5.0-56.0Vdc, 0.01-5.0A, 65.0W Max
Standard(s):	EN IEC 61558-1:2019 EN IEC 61558-2-16:2021

On the basis of the referenced test report(s), sample(s) tested of the above product have been found to comply with the standard harmonized with the directives based on this verification at the time the tests were carried out. Other standards relevant to the product, but not mentioned in this report, shall be taken into account and should be read in conjunction with this report.

Once compliance with all product relevant CE mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Approved By
Eric Liu
Director of Engineering Department

Dongguan Pulus Testing Technology Co., Ltd.
Room 101, Building 1, No.20, Minghua Road, Shipai Town, Dongguan, Guangdong, China.
Tel: +86 769 81813516 E-mail: service@pulusatest.com Web: www.pulusatest.com

CERTIFICATE OF CONFORMITY

Low Voltage Directive 2014/35/EU

Appendix of Certificate No.: 25SP06193L01

Table A: Definition of variables:

Variable:	Range of variable:	Content:
XXX	050-560	3 digit numbers which represents 10 times the output voltage value in V. For example, 050 =5.0Vdc, 560=56.0Vdc. The rated output voltage is rising in steps of 0.1V
YYY	001 to 500	3 digit numbers which 100 times the output current value in A. For example, 001 =0.01A, 500 =5.0A. The rated output current is rising in steps of 0.01A

Table B: Model list and output rating:

Model	Output voltage (Vdc)	Output current (A)	Max. Output Power (W)	Transformer (T1) type
HH065U-XXXXXX-AG	5.0-15.0	0.01-5.0	65W	HH60-T1A (A="A-Z" or "0-9" or blank, for marking purpose)
HH065U-XXXXXX-AB	15.1-30.0	0.01-4.3	65W	HH60-T2A (A="A-Z" or "0-9" or blank, for marking purpose)
HH065U-XXXXXX-AX	30.1-41.9	0.01-2.16	65W	HH60-T3A (A="A-Z" or "0-9" or blank, for marking purpose)
HH065U-XXXXXX-AXS-E	42.0-56.0	0.01-1.54	65W	HH60-T4A (A="A-Z" or "0-9" or blank, for marking purpose)
HH065U-XXXXXX-AXS-E				HH60-T5A (A="A-Z" or "0-9" or blank, for marking purpose)
HH065U-XXXXXX-AXS-E				HH60-T6A (A="A-Z" or "0-9" or blank, for marking purpose)
HH065U-XXXXXX-AXS-E				HH60-T7A (A="A-Z" or "0-9" or blank, for marking purpose)
HH065U-XXXXXX-AXS-E				HH60-T8A (A="A-Z" or "0-9" or blank, for marking purpose)
HH065U-XXXXXX-AXS-E				HH60-T9A (A="A-Z" or "0-9" or blank, for marking purpose)
HH065U-XXXXXX-AXS-E				HH60-T10A (A="A-Z" or "0-9" or blank, for marking purpose)

Dongguan Pulus Testing Technology Co., Ltd.
Room 101, Building 1, No.20, Minghua Road, Shipai Town, Dongguan, Guangdong, China.
Tel: +86 769 81813516 E-mail: service@pulusatest.com Web: www.pulusatest.com